

Ureteral stents





COLOPLAST URETERAL STENTS



Size, lot number and company name printed

to improve product identification and stent exchange

PORGES CH 7.0 FR. 26 CM 1 Q 1 Q 1 7 G U

MATERIAL FEATURES


ImaJin | ImaJin Hydro-coated

- The remarkable **biocompatibility** and flexibility of silicone makes it the **material of choice** for long-term implantation.
- Less incrustation material.
- Stents made of silicone are soft and smooth for **improved patient comfort**.
- Silicone stents cause less superficial epithelial destruction and host reaction.
- · Available with hydrophilic coating to facilitate stent advancement.



Vortek Vortek Hydro-coated

- **Dual durometer** material for easy insertion and placement (firm inner layer) while retaining great flexibility for patient comfort (soft outer layer).
- Ideal material for **ureteral stenosis** or **tumoral compressions**.
- Thermosensitive material is firm for advancement but softens at body temperature for increased patient comfort.
- Excellent urinary flow rate, even for the 4.8 Ch/Fr version.
- Available with hydrophilic coating to facilitate stent advancement.








MATERIAL FEATURES

Biosoft duo Biosoft duo Multi-length Hydro-coated

- **Dual durometer** material for easy insertion and placement (firm inner layer) while retaining great flexibility for patient comfort (soft outer layer).
- Stents made of Biosoft duo are softer than the Vortek stents.
- Thermosensitive material is firm for advancement but softens at body temperature for increased patient comfort.
- Excellent urinary flow rate, even for the small Ch/Fr.



• Multi-length bladder coil version to fit various ureteral lengths with hydrophilic coating to facilitate stent advancement.







SPECIALITIES

★ For stricture and compression of the ureter

Tumor stents

- Made of **Vortek: dual durometer** material for easy insertion and placement (firm inner layer) while retaining good flexibility for patient comfort (soft outer layer).
- The inner layer of Tumor stents is reinforced to pass stricture.
- Excellent resistance to compression.



♣ For stenosis

Stenostents

- Made of **silicone** for long-term implantation.
- The straight part of the stent is reinforced (12 Ch/Fr) for maximum resistance to stenosis.
- Smaller loops (8 Ch/Fr) for patient comfort.



For pyeloplasty

Pyelostents

- Made of silicone for long-term implantation.
- The renal pelvis part is reinforced (12 Ch/Fr) for **better healing**.
- 8 Ch/Fr stent for **patient comfort**.







er).

KITS

er + Steerable/connectable pusher for stent placement

- Steerable/connectable pusher to control the positioning of the stent.
- With or without radiopaque ring. The **radiopaque ring** at the distal tip of the pusher provides a **better visualization** under fluoroscopy. Cystoscopy is not required to place the stent.
- Can be used as a **standard** positioner.



+ Guidewires

- Terumo: 100% hydrophilic Nitinol wires.
- Seldinger: PTFE-coated wires with fixed or movable core.



Ostomy Care / Continence Care / Wound & Skin Care / Urology Care



The Coloplast logo, Stenostent, Pyelostent, Imajin, Vortek and Biosoft are registered trademarks of Coloplast A/S. \otimes [2017-04.] All rights reserved. Coloplast A/S, 3050 Humlebaek, Denmark. Global Marketing DOC0035EN Great Britain 380N0001U - Netherlands 480NP00070

