A WORLD OF OPPORTUNITIES

ARIETTA™ 65 ULTRASOUND SYSTEM

Designed to streamline your practice
High performance beyond productivity
Effective Ultrasound Imaging



ARIETTA™ 65 ULTRASOUND SYSTEM

ARIETTA[™] 65 Ultrasound System has been designed to perform quick and precise diagnosis in general imaging without compromising on productivity and workflow. This ultrasound platform excels through ergonomic design, reducing examiner fatigue and facilitating examinations in a variety of clinical settings.





IT'S TIME TO RETHINK THE WAY YOU WORK

4


SENSE AND VISUALIZE

ULTRASOUND



ARIETTA 65[™] Ultrasound System combines productivity, enhanced tools and technologies for:

- Smooth workflow and productivity
- Superb imaging and accurate diagnosis
- Simple to use applications and streamlined practice





Streamlined features for reproducible examinations and efficient everyday operation

Ergonomic Design

Succeeds the ergonomic design perfected in our premium models to help you scan more comfortably.



Streamlined Operating Console

Designed to facilitate routine examinations, the ARIETTA 65[™] Ultrasound System's operating console does not just simply reduce the number of physical keys. Button placement is optimized to help prevent unnecessary, complicated, or accidental keystrokes.

Optimized Control Placement

The most frequently used controls are placed around the **trackball**.



360° Articulating Monitor Arm Optimize viewing angle and distance by repositioning the monitor to facilitate examinations

in a variety of clinical settings.



Rotating Operator Console Swivel the console for more comfortable operation, so that the switch layout matches the angle of your arm.

Adjustable Panel Height

Raise or lower the console to ease physical impact and scan in the style that best suits your workflow.



Protocol Assistant


Prompts you through the exam following your previously registered protocols and automatically prepares the next tool or window as dictated for each step in the exam. This significantly **reduces keystrokes** and **help prevents duplications or omissions** as you store images, take measurements, and add body marks or annotations.



Easy Operation

The adoption of **virtual TGC sliders** contributes to the console's spacious layout and makes it **easier** to customize imaging parameters.





SMOOTH WORKFLOW


Auto Optimizer


Enhance B-mode and PW-mode images with just one control. Gain values in B-mode, or base line position and velocity range in PW-mode, are automatically adjusted.





ONE





TOUCH

тоисн

Before Gain Adjustment

After Gain Adjustment

Before PW Waveform Adjustment TOUCH

After PW Waveform Adjustment



Migration of our top-performing imaging technologies for enhanced diagnostic confidence, precision and productivity



Carving Imaging

Accentuate even the lightest echoes across the image to to help spot tissue abnormalities early.





ON

Trapezoidal Scanning

Offers a wider field of view with linear transducers, enhancing the visualization of vessels, organs, and the tissue around them.

eFLOW/DFI

High-resolution colour modes produce an accurate display of blood flow confined within the vessel walls, even in fine vessels.






Cardiac Functions

Equipped with automated tools for faster, smoother cardiovascular examination, building on data acquired by our premium systems.

Automated ED/ES Detection


Automatically displays ED and ES frames in split screen view.



Automated Measurements Automatically measures values used in calculations to assess cardiac function, such as EF.

Automated Sample Gate Alignment

Automatically sets the cursor position of the sample volume gate.





Battery

Quickly and easily move the ARIETTA 65[™] Ultrasound System to accommodate bedside examinations, emergency care, or scenarios that necessitate changing rooms. No need to power down the machine before moving it - just unplug the ARIETTA 65[™] Ultrasound System and go.

тоисн

HI REZ


Emphasizes structural boundaries and enhances contrast resolution to produce images with greater clarity.

Compound Imaging

Enhances visualization of tissue boundaries by transmitting beams in multiple directions, thus reducing artefacts experienced when using a single beam path.

HdTHI


Improves spatial resolution and penetration by broadening the harmonic frequency bandwidth.





Free Angular M-mode (FAM)

An anatomical M-mode to compare wall motion at multiple locations and angles simultaneously for diagnostic evaluation of wall motion within the same heart cycle.





Tools for diverse clinical use, detailed evaluation and better productivity


RADIOLOGY

Real-time Tissue Elastography (RTE) and Shearwave Measurement (SWM) Visualize and quantify tissue stiffness from superficial to deep structures

> SWM1 Vs: 1.24m/s IQR: 0.26m/s VsN: E: 4.59kPa ATT: 0.48d8/cm/MHz

Judge the degree of liver steatosis with shear wave and attenuation (ATT)

measurement to assess diffuse liver



Differenciate between soft and hard tissue, and calculate Fat Lesion Ratio in the breast with Real-time Tissue Elastography to further characterize breast lesion


Needle Emphasis (NE)

Enhances needle visibility to assist in safe and accurate procedures.

Marking Assist

desease

Lines displayed in B-mode imaging correspond to markers on the transducer head.





that provides homogeneous enhancement throughout the field of view to enhance diagnostic capability.

Faster and Easier*

Auto

ONE TOUCH

Using **"ASR"**

Using **"AFS"**

LINE

rame lectior

RTE Scan

Manual

Automation Tools

AFS: Auto Frame Selection

ASR: Assist Strain Ratio

Panoramic View

Images taken by gradually moving the probe across the target organ are assembled into a single, elongated image for **enhanced diagnostic precision**.



UROLOGY

Transrectal Transducer

Axial and sagittal view of the prostate side by side in **Real-time**. A wide range observation can be achieved with a viewing angle of **180 degrees**.



WOMEN'S HEALTH

Foetal Visualization & Monitoring Tools


Display the foetus in **realistic**, Real-time 3D images for outer assessment, and check intracavity structures and biometric growth parameters.


Workflow Auto EFW

By analyzing the characteristics of the target and providing **automatic setting** of the measurement point, **Auto EFW** (Estimated Fetal Weight) facilitates measurement for fetal growth evaluation.



* Approximation based on internal study











- · ARIETTA, Real-time Tissue Elastography, HdTHI and HI-REZ are registered trademarks or trademarks of FUJIFILM Healthcare Corporation in Japan and other countries.
- · This brochure may contain descriptions of optional functions and products.
- · Specifications and appearance may be subject to change for improvement without notice.
- · For proper use of the system, be sure to read the operating manual prior to placing it into service.



Manufactured and distributed by

FUJIFILM Healthcare Corporation 2-1 Shintoyofuta, Kashiwa-shi, Chiba, 277-0804, Japan www.fujifilm.com/fhc/en

Distributor for Europe

FUJIFILM Healthcare Europe Holding AG Sumpfstrasse 15, 6312 Steinhausen, Switzerland www.fujifilm.com/hce

© 2022 FUJIFILM Healthcare Europe Holding AG